

IN THE CLAIMS:

A listing of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method of controlling a plurality of application devices the method comprising the steps of:

retrieving first documents from a first set of the plurality of application devices by a server, **said first documents reflecting the status of the first set of application devices;**

retrieving identification of a user by the server;

generating second documents by the server, each comprising at least one instruction, on the basis of at least a part of the retrieved identification of the user and at least a part of the first documents, ~~wherein said second documents reflect a status of the plurality of applications devices;~~

sending at least one of the second documents to each device of a second set of the application devices by the server; and

performing, for a particular application device of the second set, one instruction from at least one of the second documents received in the particular application device.

2. (Previously presented) A method according to claim 1, characterized in that the step of retrieving identification of the user further comprises the steps of

retrieving user profile information based on the user identification by the server; and

retrieving context profile information relating to surroundings of the user by the server.

3. (Previously presented) A method according to claim 1, characterized in that the documents comprise at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

4. (Previously presented) A method according to claim 1, characterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

5. (Currently Amended) A system for controlling a plurality of applications application devices, the system comprising:

a server to retrieve first documents from a first set of application devices, **said first documents reflecting the status of the first set of application devices**; retrieve identification of a user; generate second documents, each comprising at least one instruction, on the basis of at least a part of the retrieved identification of the user and at least a part of the first documents, send at least one of the second documents

to each device of a second set of the application devices; and perform, for a particular application device of the second set, one instruction from at least one of the second documents received in the particular application device.

6. (Previously presented) A system, according to claim 5, wherein the server is further enabled to retrieve user profile information based on the user identification and context profile information relating to surroundings of the user.

7. (Previously presented) A computer system for performing the method according to claim 1.

8. (Previously presented) A computer program product comprising program code means stored on a computer readable medium for performing the method of claim 1 when the computer program is run on a computer.

9. (Previously presented) A method according to claim 2, characterized in that the documents comprise at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

10. (Previously presented) A method according to claim 9, characterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

11. (Previously presented) A method according to claim 2, characterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

12. (Currently amended) A system for controlling an application device of a plurality of applications comprising:

a server that is configured to:

retrieve first documents from a first set of application devices, **said first documents reflecting the status of the first set of application devices;**

retrieve identification of a user;

autonomously generate second documents, each comprising at least one instruction on the basis of at least a part of the retrieved identification of the user and at least a part of the first documents ~~wherein said second documents reflect a status of the plurality of applications devices;~~ and

send at least one of the second documents to each device of a second set of the application devices for performing, at a particular application device of the second set, at least one instruction from at least one of the second documents received in the particular application device.

13. (Previously presented) The system of claim 12, wherein the server is configured to retrieve the identification of the user by:

retrieving user profile information based on the user identification;

and

retrieving context profile information relating to surroundings of the user.

14. (Previously presented) The system of claim 13, wherein the documents comprise at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

15. (Previously presented) The system of claim 14, wherein the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

16. (Previously presented) The system of claim 13, wherein the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

17. (Previously presented) The system of claim 12, wherein the documents comprise at least one of Hyper Text Markup Language, Scalable Vector Graphics, Resource Description Framework and Extensible Markup Language.

18. (Previously presented) The system of claim 17, characterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

19. (Previously presented) The system of claim 12, characterized in that the application devices comprise at least one of Web tablet, set-top box, VCR, TV, PDA, lamp, coffee machine, radio, telephone, background wall, DVD player and electronic information panel.

20. (Currently amended) A server for controlling a plurality of applications application devices, the server comprising:

a processor including code for retrieving first documents from a first set of application devices, **said first documents reflecting the status of the first set of application devices**, retrieving identification of a user, generating second documents, each comprising at least one instruction, on the basis of at least a part of the retrieved identification of the user and at least a part of the first documents, ~~wherein said second documents reflect a status of the plurality of applications devices~~, sending at least one of the second documents to each device of a second set of the application devices, and performing, for a particular application device of the second set, one instruction from at least one of the second documents received in the particular application device, wherein said one instruction includes instruction for changing parameters and/or settings of the particular device to reflect a setting of the user.